



AMF

Hatteras

**55 Convertible**

# Hatteras Proudly Presents The Fifty Five Convertible

The new 55 Convertible from Hatteras reflects our years of experience in building prestige sportfishermen. Incorporated into her design and construction are the concepts of durability, roominess and luxury that have made every Hatteras convertible a classic.


This 55'8" sportfishing machine boasts many unique features for increased performance, durability and comfort. A partial list includes cockpit engine room access, built-in multi purpose systems monitor, single sideband ground screen laminated in the housetop, 20kw generator, polyurethane protected gel-coat finish

and choice of a two or three stateroom floor plan. It also features an inset chine hull design for reduced wetted surface and increased interior space, and engine room air intakes located under the cockpit covering board. Power is by twin G.M. 12V-71TI diesels, supplied by a 1250 gallon fuel capacity.


The standard floor plan includes two double staterooms, each with private head and stall shower. An optional double bed is available in the master stateroom. Just forward of the salon is a fully equipped galley and a convenient dinette.

The optional layout adds an additional stateroom below. The galley and dinette are then located at the forward end of the salon.

The large flybridge has a safety glass windshield with three wipers and washers, a 32V D. C. electronics panel, generous storage and seating. The cockpit has an all-fiberglass sole and can be fitted out to the fisherman's needs with optional baitwell, control station and bait center with freezer and sink. Standard conveniences include a transom door, scuppered hatches and fused 220V A. C. shoreline connections.



STANDARD GALLEY DOWN ARRANGEMENT



OPTIONAL GALLEY UP ARRANGEMENT



Engines .....	Twin G.M. 12V-71TI Diesel Engines	
Length Over All .....	55'8"	16.80 m
Beam .....	17'6"	5.34 m
Draft .....	4'10"	1.47 m
Freeboard Forward .....	7'4"	2.23 m
Freeboard Aft .....	3'5"	1.04 m
Headroom, Most Areas .....	6'6"	1.98 m
Fresh Water Capacity .....	300 Gals	1,135 ltr
Fuel Capacity .....	1,250 Gals	4,730 ltr
Weight Displacement .....	65,700 Lbs.	29,800 kg
Height Above Waterline to Top of Flying Bridge Windshield .....	16'8"	5.08 m

## STANDARD EQUIPMENT: What You Like For Comfort, What You Need For Reliability.

**Hardware and Miscellaneous:** All Hardware Chrome on Brass or Stainless Steel • Anchor and Anchor Line with Deck Hawse Pipe • Two Stern and Four Springline Cleats • Four Stern Hawse Pipes • Bow Chocks and Cleats • Stainless Steel Rails on Foredeck and Flying Bridge • Stainless Steel Handrails for Side Decks • Teak and Stainless Steel Ladder to Flying Bridge • Teak and Stainless Steel Cockpit Boarding Steps • Fog Bell • Boat Hook • Horns • Zincs on Rudders and Staffs • Bow and Stern Staffs with Ensign and Pennant • Nylon Mooring Lines • Six Life Preservers • Life Ring • Portable Fire Extinguishers •

**Engine Room and Bilge:** Electric Lights in Engine Compartment • Twin Diesel Fresh Water Cooled Engines with Hour Meters, Alternators, Fuel Filters and Raw Water Strainers • Engine Room Fire Extinguisher System with Automatic and Remote Manual Controls plus Audible and Visual Signals for Discharge • 20 KW Fresh Water Cooled Generator with Sound Box Enclosure, Remote Starter, Raw Water Strainer, Hour Meter and Aquafit Muffler • Fuel Tank Selector • Fresh Water Pressure System with Electric Fresh Water Heater and Fresh Water Fill Hose for Engines • Dockside Water Connection with Pressure Reducing Valve • Four Electric Bilge Pumps and One Hand Bilge Pump • Two Engine Room Blowers • Fire Extinguisher • Sea Valves on all Underwater Through Hull Fittings • Bonded Throughout • Stainless Steel Propeller Shafts Stubbed with Muff Couplings • Bronze Rudders and Struts with Rubber Strut Bearings • Four Blade Propellers • Trim Tabs with Tab Controls at Flying Bridge Station • Sewage Holding Tanks, plumbed for dockside discharge •

**Electrical System:** Two Banks of Heavy Duty Marine 32 Volt Batteries with Automatic Battery Charger • Battery Paralleling System with Switch at Bridge Control Console • Transformer Connected Shorelines • Two 240 Volt 50 Amp Electrical Inlets • One 120 Volt 50 Amp Electrical Inlet in Cockpit • Two 240 Volt 50 Amp Shorelines • One 120 Volt 50 Amp Shoreline • 32 Volt and 120 Volt Light Fixtures • 120 Volt Duplex Electrical Outlets • Electric Control Panels and Distribution Panels with Magnetic Circuit Breakers, Volt Meter, Amp meter, Generator, Frequency Meter, and Battery Condition Indicator, Ground Fault Interruption on A.C. Receptacle Circuits • Navigation Lights • Air Conditioning

with Reverse Cycle Heating • SSB Radio Ground Screen in Hardtop • Systems Monitor: Visual and Audible Signal for Engine Oil Pressure, Engine Temperature, Exhaust Temperature, Drive Oil Temperature, A.C. Power Off, High Bilge Water, Fire Warning in Engine Room and Cabin Areas and Fire Extinguisher System Discharge •

**Flying Bridge:** Molded Fiberglass • Large Seating Area Cushioned with Vinyl Covered Polyfoam • 32 Volt Weatherproof Duplex Electrical Outlet • Control Station has All Necessary Switches and Dimmable Lighted Instruments • Lighted Compass • Adjustable Helmsman Seat • Dual Lever Controls • Windshield • Three Windshield Wipers with Washers • Stainless Steel Rails • Stainless Steel and Teak Tread Ladder •

**Cockpit:** Molded Fiberglass Self Bailing Cockpit • Storage Hatches • Scuppers in Cockpit and In Cockpit Hatches • Cockpit Light • Transom Gate • Door and Hatch to Engine Room •

**Salon:** Carpeting • Valance Boards with Draperies • Engine Access Hatches • Paneled Bulkheads • Windshield • Sliding Side Windows • Wet Bar with Ice Maker and Storage (Galley Below Only) • 120 and 32 Volt Lights and 120 Volt Duplex Outlets • Steps to Galley • AM/FM Stereo Receiver with Speakers • Windshield Cover for Privacy •

**Galley Below (standard):** Vinyl Flooring • High Pressure Laminate Countertops • Paneled Bulkheads • 120 Volt Refrigerator with Freezer • Four Burner 240 Volt Stove • Exhaust Blower • Stainless Steel Sink • Dish and Storage Lockers, One with Damp Chaser • Duplex Electrical Outlet • Opening Overhead Hatch with Screen (Galley Below Only) • Dinette with Storage under Seats •

**Deckhouse Galley (optional):** Same as Galley Below except Three Burner 240 Volt Stove • Ice Maker •

**Master Stateroom:** Carpeting • Vinyl Headlining • Polyfoam Mattresses • Twin Berths with Storage Under Berths • Nightstand with Drawers • Hanging Locker with Door and Automatic Light • Mirror • Valance Boards with Draperies • Stereo Speakers with Volume Control • 32V and 120V Light Fixtures and 120V Duplex Electrical Outlets • Ventilating

Portlights • Overhead Cabinet • Dresser, Overhead Hatch and Screen •

**Master Head:** Vinyl Flooring • Vinyl Wall Covering and Headlining • High Pressure Laminate Countertop • Shower with Door and Automatic Sump Pump • Vitreous China Lavatory • Medicine Cabinet with Mirror • Towel Bars • Retractable Clothesline • Electric Toilet • Exhaust Blower • Linen Storage • 32V and 120 Volt Light Fixtures and 120V Duplex Electrical Outlets •

**Guest Stateroom (Galley Up Option Only):** Carpeting • Vinyl Headlining • Ventilating Portlight with Draperies • Upper and Lower Berths with Polyfoam Mattresses • Storage under Lower Berth • Nightstand • Hanging Locker with Door and Automatic Light • Mirror • 32 and 120 Volt Light Fixtures • 120 Volt Duplex Electrical Outlets • Ventilating Screened Overhead Hatch • Air Conditioning Controls •

**Guest Head (Galley Up Option Only):** Vinyl Flooring • Vinyl Wall Covering and Headlining • High Pressure Laminate Countertop • Stall Shower with Door and Automatic Sump Pump • Vitreous China Lavatory • Medicine Cabinet with Mirror • Linen Storage Towel Bars • Retractable Clothesline • Electric Toilet • Ventilating Frosted Portlight • Exhaust Blower • 32V and 120V Light Fixtures and 120V Duplex Electrical Outlet •

**Bow Stateroom:** Carpeting • Padded Vinyl Covering on Hullside and Vinyl Headlining • Upper and Lower Berths with Storage Under Lower Berth • Hanging Locker with Automatic Light • Dresser • Rope Storage Locker • 32V and 120V Light Fixtures and 120V Duplex Electrical Outlets • Ventilating Frosted Portlight • Ventilating Overhead Hatch with Screen •

**Bow Head:** Vinyl Flooring • Vinyl Wall Covering and Headlining • High Pressure Laminate Countertop • Stall Shower with Door and Automatic Sump Pump • Vitreous China Lavatory • Medicine Cabinet with Mirror • Linen Storage • Towel Bars • Retractable Clothesline • Electric Toilet • Ventilating Frosted Portlight • Exhaust Blower • 32V and 120V Light Fixtures and 120V Duplex Electrical Outlet •





**Hatteras Yachts**  
High Point, North Carolina 27261

55CV 10 0879  
Printed in U.S.A.

AMF Hatteras Yachts reserves the right to make styling, design, equipment and construction changes without notice. Also, prices are subject to change without notice. Some items shown may be optional. Hatteras is a registered trademark of AMF, Incorporated.